Developing GIS Applications to Manage and Disseminate Emissions Activity Data

Tami H. Funk
Dana L. Coe
Sonoma Technology, Inc.

Funded by:
San Joaquin Valleywide Air Pollution Study Agency
California Air Resources Board

Presented at:
International Emission Inventory Conference
"Emission Inventories - Partnering for the Future"
April 15-18, 2002
Atlanta, GA



Overview

- Introduction
- Data collection
- Development of GIS application
- Summary



Introduction (1 of 3)

 The California Regional PM₁₀/PM_{2.5} Air Quality Study (CRPAQS)

 Multi-year program involved meteorological and air quality monitoring, emission inventory development, data analysis, and air quality simulation modeling.

CRPAQS Domain





Introduction (2 of 3)

 Emission inventory development phase included collection of emissions activity data during 1999-2001 period to improve the California Air Resources Board's (CARB) emissions activity databases.

 Emissions activity data includes geographic information.




Introduction (3 of 3)

- Data must be available to analysts for the data analysis phase of CRPAQS beginning in the fall of 2002.
- An Internet-based GIS application was developed to manage, display, and disseminate data via the web.
- CRPAQS On-line Atlas with Regional and Site-specific Events (COARSE)



What is GIS?

- GIS software tools map and analyze things that exist and events that happen on earth.
- GIS integrates database operations with the geographic analysis benefits offered by maps.
- Internet-based GIS applications provide a way to display and disseminate data to a broad audience.







Why Use GIS?

GIS adds spatial context to data.

 Software is becoming more affordable and easier to use.



 GIS provides a framework for managing, displaying, and disseminating data.









Data Collection Objectives

- Data collection phase entailed gathering and processing
 - (1) short-duration emission events data that may impact CRPAQS air quality measurements; and
 - (2) highly resolved activity data in the immediate surroundings of 24 selected CRPAQS monitoring sites.



Data Sources

- Data sources:
 - observers stationed in the field

automated digital camera equipment

 publicly available records and/or news reports









Data Products

Atlas/database containing ground-truth maps, tabular data, and observation diaries


•



The Printing Press Misc. Business Construction Opus West Construction Company Misc. Business Flow Master Misc. Business Plywood and Lumber Sales Misc. Business General Auto SJ4 Residential Zone 7/21/2000 SJ4 7/21/2000 Food Preparation Marisco's India 7/21/2000 SJ4 Residential Zone none SJ4 9 7/21/2000 Grevhound bus terminal SJ4 Food Preparation 7/21/2000 Museum Cafe Food Preparation Gordon Biersch Brewery



Archive of digital photographs



nall road construction crew ob

Bermuda St. and Cherry Hills Dr.

Database containing news stories of emissions events

Event Summaries

Application Development (1 of 2)

- ArcIMS Environmental Systems Research Institute (ESRI) Internet mapping software
- Framework for implementing GIS services via the Internet
- Customizable and scaleable at all levels
 - User interface
 - Application features and functions
 - Server



Application Development (2 of 2)

Application Architecture

Data Sources

Map Layers



ArcIMS Application Server

ArcIMS Spatial Server





Figure adapted from ESRI, 2000.



COARSE Interface



Summary

- GIS applications are cost-effective and useful for managing, displaying, analyzing, and sharing environmental data with broad audiences.
- ArcIMS-based applications are highly scaleable, customizable, and can incorporate many types of data from different sources (databases).



Acknowledgements

- California Air Resources Board
 - Karen Magliano
 - Richard Bradley
 - Beth Schwehr
 - Robert Effa

- COARSE available in fall 2002:
 - http://www.sonomatech.com/coarse

